From: Dana Tulis/DC/USEPA/US
Sent: 3/28/2012 5:39:15 PM

To: Mathy Stanislaus/DC/USEPA/US@EPA
CC: Lisa Feldt/DC/USEPA/US@EPA

Subject: Re: Dimock Daily Report - March 28, 2012

Yup;) will get you an update later, I am driving now.

---- Original Message ----- From: Mathy Stanislaus

Sent: 03/28/2012 05:35 PM EDT

To: Dana Tulis Cc: Lisa Feldt

Subject: Fw: Dimock Daily Report - March 28, 2012

Is "HQ EU" = OEM

---- Original Message ----- From: Ron Borsellino

Sent: 03/28/2012 05:16 PM EDT

To: Bob Sussman; Mathy Stanislaus; Brendan Gilfillan; Lisa Feldt; Dana Tulis; Betsaida Alcantara; Arvin Ganesan; Sarah Pallone; Janet Woodka; Larry Stanton; Gilberto Irizarry; early.william@epa.gov; Garvin.Shawn@EPA.GOV@EPA;

Amy Johansen; Daniel Ryan; dandrea.michael@epa.gov; Donlon.Janice@EPA.GOV@EPA

Subject: Dimock Daily Report - March 28, 2012

Date: March 28, 2012

FIELD ACTIVITY

Water Supply (Gerald Heston)

Alternate water continues to be provided as necessary.

Water Sampling (Gerald Heston)

No homes sampled today; no additional homes scheduled yet.

COMMUNICATIONS (Gerald Heston)

- Site team continues to finalize other data packages in preparation for roll-out over the next several weeks.
- HQ's Environmental Unit has completed preliminary review of week 2 data.. Region and EU are currently discussing EU's findings.
- Site team contacting 7 of the first 11 homes to re-schedule visits with EPA and ATSDR to discuss results.
- Messaging for roll out of week 2 data packages is being drafted.

CONGRESSIONAL

- •The briefing for Senate EPW, House Science and Technology, and House Energy and Commerce committee staff is tentatively set for Monday, April 2 and has been extended 1/2 hour to hopefully accommodate a briefing for Congressman Marino's staff after the Committee staff briefing.
- •OCIR confirming OECA and OSWER availability for both.

LEGAL ISSUES

None reported.

DIM0175146 DIM0175146

Please let me know if you have questions.

Ron Borsellino Director Hazardous Site Cleanup Division

DIM0175146 DIM0175147